



ALIMENTATORI C.C. - C.C. POWER SUPPLY - ALIMENTATIONS C.C. - C.C. VORSCHALTGERÄTE - ALIMENTADORES CC

350mA

Code	IP	Made In	Input	Power	Voltage range	Dimension	Weight	Quantity of products			
								1W	4W	8W	12W
DI35003IND	20	PRC	100-240Vac 50/60Hz	3,5W	2,7-10 V	65x29x18mm	26g	1-3	0	0	0
.DI35006IND	20	PRC	100-240Vac 50/60Hz	6W	8,6-18 V	67x39x22mm	35g	4-6	1	0	0
.DI35010IND	20	PRC	220-240Vac 50/60Hz	10W	17-29 V	65x39x20mm	44g	7-10	2	1	0
.DI35015IND	20	PRC	220-240Vac 50/60Hz	14,5W	30-42 V	85x41x22mm	63g	11-13	3	0	1
.DE35004	65	PRC	100-240Vac 50/60Hz	3,5W	2,5-10V	38x27x21mm	40g	1-3	0	0	0
.DE35006	67	ITALY	100-240Vac 50/60Hz	6W	8,6-18 V	57x42x27mm	95g	4-6	1	0	0
.DE35012	65	PRC	220-240Vac 50/60Hz	12W	17-34 V	50x49x24mm	92g	7-11	2	1	0
.DE35017	67	PRC	100-240Vac 50/60Hz	17W	9-48V	118x35x26mm	220g	4-15	1-3	1	1
.DE35017IT	67	ITALY	220-240Vac 50/60Hz	17W	5-49V	115x54x26mm	340g	2-15	1-4	1-2	1
.DE35025RE	67	ITALY	100-240Vac 50/60Hz	25W	25-70V	115x65x36mm	285g	10-23	3-5	2	1

500mA

Code	IP	Made In	Input	Power	Voltage range	Dimension	Weight	Quantity of products			
								2W	4W	6W	18W
.DI50003IND	20	PRC	100-240Vac 50/60Hz	3,5W	2,7-7 V	65x29x18mm	26g	1-2	1	0	0
.DI50007	20	PRC	220-240Vac 50/60Hz	7W	6,5-13 V	49x27x20mm	35g	3-4	2	1	0
.DI50010IND	20	PRC	220-240Vac 50/60Hz	10W	13-20 V	65x39x20mm	44g	5-6	3	0	0
.DI50015IND	20	PRC	220-240Vac 50/60Hz	15W	18-30 V	85x41x22mm	66g	7-9	4	2	0
.DI50020IND	20	PRC	220-240Vac 50/60Hz	21W	30-42 V	85x41x22mm	63g	10-13	5-6	3	1
.DE50007	67	ITALY	220-240Vac 50/60Hz	7W	6,5-13 V	49x27x20mm	35g	3-4	2	1	0
.DE50017	67	PRC	100-240Vac 50/60Hz	17W	9-34V	118x35x26mm	220g	4-8	1-4	1-2	0
.DE50024IT	67	ITALY	220-240Vac 50/60Hz	17W	5-49V	115x54x26mm	340g	2-15	1-6	1-4	1
.DE50025	67	PRC	100-240Vac 50/60Hz	25W	22-54V	105x63x30mm	410g	9-12	5-6	3-4	1
.DE50045	67	PRC	100-240Vac 50/60Hz	45W	54-90V	111x77x29mm	420g	20-24	10-12	5-7	2

700mA

Code	IP	Made In	Input	Power	Voltage range	Dimension	Weight	Quantity of products			
								3W	9W	25W	
.DI70030IT	20	ITALY	220-240Vac 50/60Hz	30W	5-44V	147x44x22mm	113g	2-14	1-3	1	
.DE70004	65	PRC	220-240Vac 50/60Hz	4W	2,5-6V	38x27x21mm	40g	1	0	0	
.DE70030IT	67	ITALY	220-240Vac 50/60Hz	30W	5-43V	115x54x26mm	340g	2-14	1-3	1	

1050mA

Code	IP	Made In	Input	Power	Voltage range	Dimension	Weight	Quantity of products			
								12W	24W	36W	
.DE105025	67	ITALY	100-240Vac 50/60Hz	25W	9-24V	115x65x36mm	285g	1	0	0	
.DE105050	67	PRC	100-240Vac 50/60Hz	50W	22-54V	105x63x30mm	410g	2-4	1-2	1	

1200mA

Code	IP	Made In	Input	Power	Voltage range	Dimension	Weight	Quantity of products			
								45W			
.DE1K260	67	PRC	100-240Vac 50/60Hz	50W	22-42V	105x63x30mm	410g	1			

1400mA

Code	IP	Made In	Input	Power	Voltage range	Dimension	Weight	Quantity of products			
								51W			
.DE1K470	67	PRC	100-240Vac 50/60Hz	51W	22-36V	105x63x30mm	410g	1			



**ALIMENTATORI 24Vdc E 48Vdc - 24Vdc and 48Vdc POWER SUPPLY - ALIMENTATIONS 24Vdc ET 48Vdc
24Vdc und 48Vdc STROMVERSORGUNGEN - ALIMENTADORES 24Vdc E 48Vdc**

24Vdc

Code	IP	Made In	Input	Power	Dimension	Weight	Max Load
.AI24020	20	ITALY	220-240Vac 50/60Hz	20W	146x55x19mm	130g	16W
.AI24030	20	PRC	220-240Vac 50/60Hz	30W	153x42x32mm	125g	24W
.AI24060	20	PRC	220-240Vac 50/60Hz	75W	180x52x30mm	320g	60W
.AI24150	20	PRC	220-240Vac 50/60Hz	180W	345x50x35mm	665g	144W
.AI24240	20	PRC	100-240Vac 50/60Hz	240W	190x93x50mm	800g	190W
.AE24016	67	ITALY	220-240Vac 50/60Hz	16W	103x56x30mm	230g	13W
.AE24024	67	PRC	220-240Vac 50/60Hz	24W	118x35x26mm	250g	19W
.AE24040	67	PRC	220-240Vac 50/60Hz	40W	148x40x30mm	280g	32W
.AE24060	67	PRC	100-240Vac 50/60Hz	60W	163x43x32mm	410g	48W
.AE24100ND	67	PRC	100-240Vac 50/60Hz	100W	190x52x37mm	630g	80W
.AE24150ND	67	PRC	220-240Vac 50/60Hz	150W	191x63x38mm	740g	120W

48Vdc

Code	IP	Made In	Input	Power	Dimension	Weight	Max Load
.AE48060	67	PRC	100-240Vac 50/60Hz	60W	163x43x32mm	400g	48W
.AE48100	67	PRC	100-240Vac 50/60Hz	100W	190x52x37mm	630g	80W



**ALIMENTATORI DIMMERABILI - DIMMABLE POWER SUPPLY - ALIMENTATIONS DIMMABLES - DIMMBARE VORSCHALTGERÄTE
ALIMENTADORES REGULABLES**

Multicorrente/Multitensione - Multicurrent/Multivoltage - Multi-courant/Multi-tension - Dimmbaren Konverter Folge - Multicorrente/Multitensión

Code	Dimmable	Output	IP	Made In	Input	Power	Dimension	Weight				
.DDI32PC	Phase Cut Push	350mA	20	ITALY	220-240Vac 50/60Hz	17W	166x46x34mm	185g	1W: 1-15	4W: 1-3	8W: 1	12W: 1
		500mA				24W			2W: 1-15	4W: 1-7	6W: 1-3	18W: 1
		700mA				32W			3W: 1-14	9W: 1-3	25W: 1	
		24Vdc				20W			Max load: 16W			
.DDI30PC	Phase Cut	500mA	20	PRC	220-240Vac 50/60Hz	21W	142x46x28mm	125g	2W: 4-13	4W: 2-6	6W: 1-3	18W: 1
		700mA				30W			3W: 4-12	9W: 1-3	25W: 1	
.DDI08	Push DALI2	350mA	20	PRC	220-240Vac 50/60Hz	4W	142x30x21mm	60g	1W: 1-3	4W: 0	8W: 0	12W: 0
		500mA				6W			2W: 1-3	4W: 1	6W: 0	18W: 0
		700mA				8W			3W: 1-2	9W: 0	25W: 0	
.DDI30	Push 1-10V DALI2	350mA	20	PRC	220-240Vac 50/60Hz	20W	103x67x22mm	138g	1W: 4-19	4W: 1-4	8W: 1-2	12W: 1
		500mA				29W			2W: 4-15	4W: 2-8	6W: 1-4	18W: 1
		700mA				30W			3W: 4-10	9W: 1-3	25W: 1	
.DDI50	Push 1-10V DALI2	700mA	20	PRC	220-240Vac 50/60Hz	46W	123x79x24mm	215g	3W: 4-15	9W: 1-4	25W: 1	
		1050mA				58W			12W: 1-3	24W: 1	36W: 1	
		1200mA				58W			45W: 1			

Dimmerabili 350mA - Dimmables 350mA - Dimmables 350mA - Dimmbare 350mA - Regulables 350mA

Code	Dimmable	Output	IP	Made In	Input	Power	Dimension	Weight	Quantity of products			
									1W	4W	8W	12W
.DDE35018110V	0-10V – 1-10V	350mA	67	ITALY	220-240Vac 50/60Hz	18W	103x56x30mm	230g	6-16	2-4	1-2	1
.DDE35017DA	DALI2	350mA	67	ITALY	220-240Vac 50/60Hz	17W	115x54x26mm	340g	1-15	1-4	1	1

Dimmerabili 500mA - Dimmables 500mA - Dimmables 500mA - Dimmbare 500mA - Regulables 500mA

Code	Dimmable	Output	IP	Made In	Input	Power	Dimension	Weight	Quantity of products			
									2W	4W	6W	18W
.DDE50020110V	0-10V – 1-10V	500mA	67	ITALY	220-240Vac 50/60Hz	20W	103x56x30mm	230g	2-10	1-5	1-3	1
.DDE50024DA	DALI2	500mA	67	ITALY	220-240Vac 50/60Hz	24W	115x54x26mm	340g	1-15	1-6	1-4	1

Dimmerabili 700mA - Dimmables 700mA - Dimmables 700mA - Dimmbare 700mA - Regulables 700mA

Code	Dimmable	Output	IP	Made In	Input	Power	Dimension	Weight	Quantity of products			
									3W	9W	25W	
.DDE70030DA	DALI2	700mA	67	ITALY	220-240Vac 50/60Hz	30W	115x54x26mm	340g	1-13	1-3	1	

Dimmerabili 24Vdc - Dimmables 24Vdc - Dimmables 24Vdc - Dimmbare 24Vdc - Regulables 24Vdc

Code	Dimmable	Output	IP	Made In	Input	Power	Dimension	Weight	Quantity of products		
.ADI24075PC	Phase Cut	3125mA max	20	PRC	220-240Vac 50/60Hz	75W	300x42x30mm	325g	60W		
.ADE24020110V	0-10V – 1-10V	900mA max	67	ITALY	220-240Vac 50/60Hz	20W	103x56x30mm	230g	16W		
.ADE24060010V	0-10V – 1-10V	2500mA max	67	PRC	100-240Vac 50/60Hz	60W	150x53x35mm	490g	48W		
.ADI24060DA	Push – DALI2	2500mA max	20	PRC	220-240Vac 50/60Hz	5-60W	202x58x30mm	325g	min 5W – max 48W		
.ADE24060DA	DALI	2500mA max	67	PRC	100-240Vac 50/60Hz	60W	150x53x35mm	490g	48W		