

MINOSSE RECESSED XL 230Vac

IP67 IK09 CE      | A > A+ > A++

TIPOLOGIA / TYPOLOGY


Incassi | Recessed

POSIZIONE INSTALLATIVA | INSTALLATION POSITION

A terra | Floor

AMBIENTE INSTALLATIVO | INSTALLATION LOCATION

Esterno | Outdoor

MINOSSE RECESSED XL  1107 mm

44W

 kg 2,91

MINOSSE RECESSED XL 230Vac

CARATTERISTICHE ELETTRICHE | ELECTRICAL FEATURES

POTENZA ASSORBITA POWER CONSUMPTION	44W
ALIMENTAZIONE POWER SUPPLY	230Vac
FREQUENZA FREQUENCY	50/60 Hz
ALIMENTATORE POWER SUPPLY UNIT	Integrato Integrated
COLLEGAMENTO CONNECTION	Tensione di rete Mains voltage

CARATTERISTICHE ILLUMINOTECNICHE | LIGHTING FEATURES

COLORE LED LED COLOUR	2200K, 2700K, 3000K, 4000K, Red, Green, Blue
INDICE RESA CROMATICA CRI CRI	>80 (2200K, 2700K, 3000K, 4000K)
BINNING	3 step MacAdam 3 MacAdam steps
OTTICHE OPTICS	8°, 28°, 45°, ASYM, 60°, 10° x 41°
FLUSSO REALE EMESSO - 3000K REAL OUTPUT FLUX	44W 3648lm 28°
DURATA MEDIA LED AVERAGE LED LIFE	50.000h L80 B10

CARATTERISTICHE MECCANICHE | MECHANICAL FEATURES

PESO WEIGHT	Kg 2,91
FINITURE FINISHES	Nero Black
INSTALLAZIONE INSTALLATION	A incasso a terra con cassaforma (non inclusa) Recessed on ground with housing box (not included)
MATERIALE MATERIAL	Corpo in alluminio, vetro temperato serigrafato Aluminium body, silk-screen printed tempered glass


CARATTERISTICHE GENERALI | GENERAL FEATURES

TEMPERATURA DI ESERCIZIO OPERATING TEMPERATURE	-10°C +45°C
GRADO DI PROTEZIONE INGRESS PROTECTION	IP67
GRADO DI RESISTENZA IMPACT RESISTANCE	IK09
GLOW WIRE TEST GLOW WIRE TEST	960°C
TEMPERATURA MASSIMA APPARECCHIO MAX. TEMPERATURE OF FIXTURE	40° @ Ta = 25°
CLASSE DI ISOLAMENTO APPLIANCE CLASS	I
CALPESTABILE WALKOVER	Sì / Yes
CARRABILE DRIVE OVER	No
SICUREZZA STANDARD STANDARD SAFETY	WP System
SICUREZZA FOTOBIOLOGICA PHOTOBIOLOGICAL SAFETY	GR1

MINOSSE RECESSED XL 230V_{ac}

ACCESSORI | ACCESSORIES

CODICE / CODE	CAM12
TIPOLOGIA / TYPOLOGY	Cassaforma <i>Housing boxe</i>
MATERIALE / MATERIAL	Acciaio inox, dima in polistirolo <i>Stainless steel, polystyrene jig</i>



FILTRI | FILTER

CODICE / CODE	HC
TIPOLOGIA / TYPOLOGY	Filtro Honeycomb <i>Honeycomb filter</i>

